



SELF LOADING MIXER TRUCK



ADVANTAGES

1. CONFIGURATION

- **Accurate Weighing System:** Ensures precise concrete measurements for high-quality results.
- **270° Rotating Mixer Drum:** Simplifies concrete pouring, making it more convenient.
- **Air-Conditioned Cabin:** Provides a comfortable working environment for the driver.
- **High-Pressure Wash Gun:** Makes truck cleaning quick and easy.

2. APPLICATIONS

- Road construction
- Ground foundation work
- Building Construction
- Various concrete pouring tasks

3. COST EFFICIENCY

- The self-loading function replaces the need for a wheel loader.
- The mixing capability eliminates the need for a separate concrete mixer.
- The advanced weighing system is an alternative to a concrete batching plant's weighing setup.
- The mobile truck chassis allows for easy transport between project sites.





Self-Loading Concrete Mixer Truck | AS-2.6

Model

AS-2.6

Diesel Engine

| | |
|-------|---------------------------|
| Model | YUCHAI 4102 Turbo-Charged |
| Power | 78kw |

Hydraulic System

| | |
|-------|----------|
| Pump | R1-40/63 |
| Motor | BM-200 |

Gearbox

| | |
|-------|------------------------|
| Model | ZL-280 Power Shift |
| Gear | 4 Forward & 4 Backward |

Oil Tank

| | |
|--------------------|------|
| Fuel Oil Tank | 100L |
| Hydraulic Oil Tank | 100L |
| Oil Tank | 16L |

Water Supply

| | |
|--------------|------------------|
| Water Tank | 800L |
| Water Supply | Flow Measurement |

Weighing System

| | |
|--------------------|-----|
| Sand Weighing | Yes |
| Aggregate Weighing | Yes |
| Water Weighing | Yes |
| Cement Weighing | Yes |

Truck Chassis

| | |
|-----------------------|----------------|
| Size (mm) | 6650*2700*3200 |
| Wheel Base (mm) | 2770 |
| Driven | 4 Wheel Drive |
| Max. Speed | 35km/h |
| Min. Turning Radius | 3000mm |
| Min. Ground Clearance | 350mm |

